

FARMER REQUIREMENTS



Motor Carrier Safety Unit

Exemptions



- Straight trucks and trucks with trailers having Gross Vehicle Weight Ratings or Gross Combination Weight Ratings of 26,000 pounds or less (other than passenger busses and hazardous material haulers):
- Exempt from all Federal Regulations while operating within the State of Alabama.



PORT CITY TRAILERS, INC.
MOBILE, AL
(251) MOD # 20110614 MFG. DT. 4-2011
633-2074 GVWR 9770 ORD # 25031
SER # 44602102 154000250

MFD. BY FORD MOTOR CO. IN U.S.A.
DATE 10/00 FRONT GAW. 4850LB GVWR 11500LB / 5210KG
2199KG REAR GAW. 6550LB
L7235/65R16E WITH 3742KG
TUBS L7235/65R16E WITH
TUBS 1800 OR 1800 OR 1800 OR
AT 414 170/60 PSI COLD AT 414 170/60 PSI COLD
DUAL
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.
VIN: 1FTWW32F41EA99213 F0753
TYPE: TRUCK 12576
EXT. PNT: R2 Z3 IRC: 24 L050
WB BAK INT TR TP/PS R AXLE IR SPR
172 4 32 D/ R F2 9 LC
LTC V F85B.1520472AB

$$9770 + 11500 = 21,270$$



MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFR 5-01 GVWR 4763 KG(10500 LB)
GAWR FRONT WITH TIRES RIMS AT COLD 2042 KG(4500 LB) LT235/85R16-E 16X6 379 KPA(55 PSI)
GAWR REAR WITH TIRES RIMS AT COLD 3402 KG(7500 LB) LT235/85R16-E 16X6 344 KPA(50 PSI)
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.
VIN: 1B7MC33741J603564 TYPE: TRUCK SINGLE DUAL X
NOM: 050023 PNT:PW7 VEHICLE MADE IN U.S.A. TRM:DZK9 4648503

MANUFACTURED BY: CIRCLE W TRAILERS
McKenzie, AL 36456 334-374-2560
DATE OF MFG. DEC 2007 MODEL CNT68247X
GVWR 6300 KG 14,000 LB
FRONT GAWR 3150 KG 7000 LB CENTER GAWR REAR GAWR 3150 KG 7000 LB
TIRE (ALL) ST23580R16E RIM SIZE (ALL) 6Kx16 PRESS. (ALL) 550 KPa
STATEMENT of compliance: This vehicle was manufactured to comply with all U.S. Federal Motor Vehicle Safety Standards at the date of manufacture shown above.
VIN# 1C9TR224481140149
TYPE: Trailer

10,500 + 14,000 = 24,500
EXEMPT FROM REGULATIONS



MANUFACTURED BY		KILOGRAMS / POUNDS		SUITABLE TIRE - RIM CHOICE		APPLICABLE MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE	
PETERBILT MOTORS CO. DIVISION OF PACCAR INC.		GVWR	22000.0	50000	TIRE SIZE	RIM SIZE	KPA / COLD PSI
DATE MFG.		FR. GAWR	5443.2	12000	11-24.50	24.5X8.5	483
		RND. GAWR	8818.4	19000	11-24.50	24.5X8.5	483
		GTH. GAWR	8818.4	19000	11-24.50	24.5X8.5	483
		GTH. GAWR	0.0	0	VIN: 1XP-00000-0-00000000		
				LABEL 22-01487		TYPE VEH. TRUCK TRACTOR	

MANUFACTURED BY: WILSON TRAILER COMPANY P.O. BOX 2616 SIOUX CITY, IOWA 51106 1-800-798-2002 / (712) 252-6500			
DATE OF MANUFACTURE:	08-2005	COLD	
GVWR -	29,484 KG	65,000 LBS	INFL. PRESS
GAWR -	KG / LBS	TIRE / RATING	RIM
(ALL AXLES)	8,636 / 19,040	18.00-20 (F)	20X7.5
			517 / 75
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF ITS MANUFACTURE SHOWN.			
V.I.N.	W08200000000000000000		
TYPE OF VEHICLE:	TRAILER	MODEL	SS-101-RSPP
OWNER'S MANUAL AND DECAL KITS FOR THIS TRAILER ARE AVAILABLE WITHOUT CHARGE			
B-2629-E			

$$50,000 + 65,000 = 115,000$$

SUBJECT TO REGULATIONS



Exemptions

- Straight trucks and trucks used with a trailer other than hazardous material, having Gross Vehicle Weight Ratings or Gross Combination Weight Ratings of more than 26,000 lbs. operating within 150 air miles (As defined by 49 CFR 390.5) from the farm will also be treated as exempt from all Federal Regulations while operating within the State of Alabama except for the following;



Requirements

1. **Drivers must be at least 18 years of age to operate the vehicles (49 CFR 391.67);**
2. **Inspection, repair and maintenance of vehicle, including driver vehicle inspection reports if more than one commercial vehicle is owned (49 CFR 396);**
3. **The driver must meet physical qualification to operate a combination vehicle (49 CFR 391.67). Link to medical card application (49 CFR 391.45)**

<http://www.dps.alabama.gov/HighwayPatrol/mc/forms/form%2008%20Dr's%20USDOTphysical%20form.pdf>

Exemptions



- CDL, DOT marking or DOT registration will not be required for farm-owned vehicles operating within 150 air miles of the farm.
- Hours of service rules for drivers (49 CFR 395) will not be applied to drivers transporting agricultural or farm supplies for agricultural purposes in Alabama at anytime during the year.

Contact Information



- Motor Carrier Safety Unit
- Office (334) 242-4395
- Fax (334) 277-3285
- www.dps.alabama.gov/mc

Any Questions?

